

SW_OLD20170619

SW SERIES IRON-WEIGHING PLATFORMS



Lever platforms with a single load cell, suitable for weighing metal sections, rods, pipes and plates in industrial and commercial applications. Standard version is with approved load cell.


MAIN FEATURES

- Functions with 1approved load cell protected against dust and water splashes according to IP65 standards and with OIML certification (350 Ohm input resistance).
- Sturdy painted steel section structure, and load surface with support bars, fixed edges, and flip-down edges on the operator side.
- Levers, cutters and bearings are in hardened ground chrome steel.
- Platform oscillation on steel balls and oscillation locks for avoiding overturns.
- Level.
- Up to 15 Vdc power supply
- IP67 hermetic junction box and wiring with 5m long 6-pin cable with connectors for connection to the indicator.

OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration with CE-M 3000e single range or 3000e+3000e dual range approval (depending on the indicators used).
- Models with special sizes and capacities (ask for estimate).

DETAIL 1



Available versions						
	l x w x h	Max	d	M	M	
Codice	(mm)	(kg)	(g)	(g)*	2R (g)*	
SWA15	1000x2000x650	1500	200	500	200-500	
<u>SWA30</u>	1000x2000x650	3000	500	1000	500-1000	
SWC15	1000x3000x650	1500	200	500	200-500	
SWC30	1000x3000x650	3000	500	1000	500-1000	
SWC60	1000x3000x650	6000	1000	2000	1000-2000	
SWD30	1500x3000x650	3000	500	1000	500-1000	
SWD60	1500x3000x650	6000	1000	2000	1000-2000	

^(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany

DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784

-	
	SALES AND TECHNICAL ASSISTANCE SERVICE