

FPW

## FPW SERIES PALLET-WEIGHERS




Low profile, easy to move, pallet-weighing scale. Suitable for industrial and commercial applications, in which it's necessary to quickly weigh goods on a pallet. The standard version is provided with approved load cells.

**The best solution  
for advanced industrial  
applications**

## TECHNICAL FEATURES

- Functioning with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree.
- Accuracy: +/- 0.1% of the maximum capacity in the versions for internal use.
- Accuracy: +/- 0.05% of the maximum capacity in the "M" approved versions.
- Moulded sheet-steel structure, oven-fire painted RAL 5007 blue.
- Adjustable, shock-proof jointed feet, level, 2 wheels and handles for moving it.
- 5/15 Vdc power supply.
- Shielded about 3m long cable for connection to the indicator.
- Upon request:
  - platform calibration service with weight indicator;
  - 3000e CE-M approval, to be combined always to the calibration service;
  - support column for indicator.

## CONNECTOR PINOUT



Pin	Signal	Color
1	EXC+	Red
2	EXC-	Black
3	SENSE-	Blue
4	SENSE+	Yellow
5	SIG-	White
6	SIG+	Green
7	SHIELD	Yellow

## VERSIONS

### Available versions

Codice	I x w x h (mm)	N° celle	Max (kg)	d (g)	<b>M</b> (g)*	<b>M</b> 2R (g)*
FPW15-1	1263x840x90	4x1000kg	1500	500	500	--
FPW30-1	1263x840x90	4x1000kg	3000	1000	1000	--

(\*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



**DINI ARGEO**  
FRANCE sarl  
France

**DINI ARGEO**  
GMBH  
Germany

**DINI ARGEO**  
UK Ltd  
United Kingdom

**DINI ARGEO WEIGHING**  
INSTRUMENTS Ltd  
China

**DINI ARGEO**  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE