


DBMANAGER

DBMANAGER: PC software designed for quickly compiling the databases of your scale



The screenshot shows the DBMANAGER software interface. At the top, there is a menu bar with 'Articles', 'Tare', 'Tarets', and 'Customers'. Below the menu bar is a table with the following columns: ID, Description 1, Description 2, Linked tare, Linked customer, Setpoint 1, Setpoint 2, and Setpoint 3. The table contains 18 rows of data, including products like APPLE, PEAR, TOMATO, LETTUCE, PEACH, and MELON. The DINI AR GEO logo is visible at the bottom of the window.

| ID | Description 1 | Description 2 | Linked tare | Linked customer | Setpoint 1 | Setpoint 2 | Setpoint 3 |
|----|---------------|---------------|-------------|-----------------|------------|------------|------------|
| 1 | APPLE | GALA | 2 | 0 | 1,50 | 9,50 | 11,00 |
| 2 | APPLE | FUE | 2 | 0 | 1,50 | 9,50 | 11,00 |
| 3 | APPLE | GOLDEN | 3 | 0 | 1,50 | 9,50 | 11,00 |
| 4 | PEAR | BOSC | 1 | 0 | 1,20 | 8,00 | 9,50 |
| 5 | PEAR | WILLIAMS | 1 | 0 | 1,20 | 8,00 | 9,50 |
| 6 | PEAR | PACOWAM | 5 | 0 | 1,25 | 8,00 | 9,50 |
| 7 | TOMATO | GOOSE CREEK | 2 | 0 | 2,00 | 6,00 | 7,60 |
| 8 | TOMATO | MEXICO | 4 | 0 | 1,50 | 5,00 | 5,60 |
| 9 | TOMATO | LONG TOM | 1 | 0 | 1,50 | 5,00 | 6,50 |
| 10 | LETTUCE | ICEBERG | 4 | 0 | 0,50 | 2,00 | 2,55 |
| 11 | LETTUCE | MINGONETTE | 3 | 0 | 0,50 | 2,00 | 2,55 |
| 12 | LETTUCE | OMALAF | 2 | 0 | 0,50 | 2,00 | 2,55 |
| 13 | PEACH | ENCORE | 2 | 0 | 2,10 | 11,00 | 12,00 |
| 14 | PEACH | BEDOMAN | 4 | 0 | 2,10 | 12,00 | 13,00 |
| 15 | PEACH | CANDOR | 3 | 0 | 2,10 | 12,50 | 13,00 |
| 16 | MELON | GALSA | 4 | 0 | 4,00 | 19,00 | 26,00 |
| 17 | MELON | XGUA | 1 | 0 | 3,50 | 15,00 | 20,00 |
| 18 | MELON | OGEN | 2 | 0 | 3,50 | 15,00 | 20,00 |

PC software which facilitates and speeds up the compiling of the scale's databases, with the possibility to import/export them in a Excel format.

The best solution
for advanced industrial
applications

STRONG POINTS

- Easy to configure: in a few minutes you can program and transmit dozens of articles, keeping them even in memory.
- Security: you can set a protection password to protect your entries data and to prevent accidental changes.
- Customisation: you can insert your logo and translate the user interface directly in your own language (.ini file).
- Multi-scale: up to 10 scales can be configured from the same programme (attention: requires multi-scale licence, to be specified when ordering).
- Management of the main communication modes: RS232, USB, Ethernet-Wifi (TCP-IP).

MAIN FUNCTIONS

- Self-identification of the connected indicator
- Configurable fields of each database
- Receive or Transmit Databases
- Import / Export to Excel file

SUPPORTED INDICATORS AND PROGRAMS

- Supported indicators:
 - 3590ET/3590ETT/3590ETB/3590ETKR/3590EGT
 - 3590EXP/3590EXT
 - CPWE/
- Supported programs:
 - AF01
 - AF02
 - AF03
 - AF04
 - AF05
 - AF09
 - BATCH1
 - BATCH

PC MINIMUM REQUIREMENTS

- Pentium IV or equivalent - 256 Mb Ram
- 200 MB of empty space on disk
- Windows 10
- Internet Explorer 6.0 SP1 or greater
- Framework 4.5
- Monitor with 800x600 minimum resolution, 256 colours

UPON REQUEST

- License for managing more Dini Argeo scale.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE