

WWSB\_OLD20190402\_N2

"WWSB" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for small sized vehicles (automobiles, carts, vans, etc.); particularly accurate and sturdy, with attention to details.



The best solution  
for advanced industrial  
applications

## FEATURES

- Platform dimensions: 400x410mm. Height 58mm. Weight approximately 14,5kg.
- Loading surface: 400x300mm.
- Very handy.
- Sturdy structure, made with special aluminium, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10m cable for connecting the platform to the indicator, complete of connector.
- IP65 aluminium load cells.
- IP68 stainless steel load cells, in the WWSB versions with 6t and 8t capacity.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Available in legal for trade approved version.
- Available in high resolution version.
- Available upon price estimate in Atex version for 1&21 e 2&22 zones.

## NOTES ABOUT THE LEGAL FOR TRADE APPROVED VERSIONS

- The platforms are for legal for trade use:
  - In the single-platform systems, not used to weigh vehicles.
  - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
  - In the axle weighing systems composed of one or more multiples of WWS platforms, except possible limitations of use for some European States.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade platform of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:  
Exemple for a 4 pads system  
Single CE-M Platform: Max=1500kg and e=0,5kg  
CE-M SUM: Max=6000kg and e=2kg


---

AXLE WEIGHING SYSTEM INSTALLATION:



## VERSIONS

### Available versions

| Codice                          | l x w x h<br>(mm) | Max<br>(kg) | d<br>(kg) | <br>(kg) | d HR<br>(kg)* |
|---------------------------------|-------------------|-------------|-----------|---|---------------|
| <a href="#"><u>WWSB600</u></a>  | 400x300x58        | 600         | 0,2       | 0,2   | --            |
| <a href="#"><u>WWSB1500</u></a> | 400x300x58        | 1500        | 0,5       | 0,5   | --            |
| <a href="#"><u>WWSB3T</u></a>   | 400x300x58        | 3000        | 1         | 1   | 0,1           |
| <a href="#"><u>WWSB6TR2</u></a> | 400x300x58        | 6000        | 2         | 2   | 0,2           |
| <a href="#"><u>WWSB8TR2</u></a> | 400x300x58        | 8000        | 5         | 5   | 0,5           |

(\*) These divisions are obtainable only with the relative options



**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE