



T-C6_OLD20181207

"T - C6" SERIES - 6000 DIVISIONS SINGLE CELL PLATFORMS



The best solution
for advanced industrial
applications

MAIN FEATURES


- Functions with a C6 6000e approved aluminium "single point" load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.
- Special sizes and capacities (upon estimate).

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.




AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities

VERSIONS

Available versions

Codice	l x w x h (mm)	Max (kg)	d (g)	 (g)*	d HR (g)*
<u>TS3C6</u>	230x330x93	3	0,5	See table below	0,1
<u>TS6C6</u>	230x330x93	6	1	See table below	0,2
<u>TS12C6</u>	230x330x93	12	2	See table below	0,5
<u>TT6C6</u>	330x330x93	6	1	See table below	0,2
<u>TT12C6</u>	330x330x93	12	2	See table below	0,5
<u>TT30C6</u>	330x330x93	30	5	See table below	1
<u>TQ30C6</u>	400x400x115	30	5	See table below	1

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE