

## TE\_I NOX

### TE SERIES SINGLE-CELL PLATFORMS



**AISI 304 Stainless Steel.** Load cell in **Stainless Steel**. **IP67** protection rating.

Precision class **C3, C3MR.**

Small and medium capacity electronic platforms, having a precise and sturdy structure, are particularly suitable for all types of industrial and commercial applications in which it's necessary to work in environments with strict hygiene requirements.

**ENVIRONMENT: MODERATELY WET,  
CORROSIVE**

The best solution  
for advanced industrial  
applications

## MAIN FEATURES

- Functions with an approved “single point” STAINLESS STEEL load cell according to OIML R60 standards with protection against dust and water splashes according to IP67 standards.
- Structure with tubulars, mechanics, trinkets and loading surface in AISI304 satin finish stainless steel.
- Fitted with adjustable STAINLESS steel feet with plastic resting surface and level.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors (IP65) for connection to the indicator.

## OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: ATEX declaration for the PLATFORM (for the load cells ATEX declaration see CCATEX-1 code). Option to be offered only if the platform is ordered without the indicator, if so, refer to the chosen weight indicator available certifications.

## AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities.
- Structure in AISI316 stainless steel.
- Fully-welded IP68/IP69K stainless steel load cell, specific for use in wet environments.

## VERSIONS

### Available versions

Codice	l x w x h (mm)	Max (kg)	d (g)	<b>M</b> (g)*	<b>M</b> 2R (g)*	d HR (g)*
TSE3	230x330x90	3	0,5	1	0,5-1	0,2
TSE6	230x330x90	6	1	2	1-2	0,5
TSE15	230x330x90	15	2	5	2-5	1
TTE6	330x330x90	6	1	2	1-2	0,5
TTE15	330x330x90	15	2	5	2-5	1
TTE30	330x330x90	30	5	10	5-10	2
TQE15	400x400x115	15	2	5	2-5	1
TQE30	400x400x115	30	5	10	5-10	2
TQE60	400x400x115	60	10	20	10-20	5
TQE150	400x400x115	150	20	50	20-50	10
TME30	400x500x115	30	5	10	5-10	2
TME60	400x500x115	60	10	20	10-20	5
TME150	400x500x115	150	20	50	20-50	10
TCE60	500x500x115	60	10	20	10-20	5
TCE150	500x500x115	150	20	50	20-50	10
TLE60	500x600x137	60	10	20	10-20	5
TLE150	500x600x137	150	20	50	20-50	10
TLE300	500x600x137	300	50	100	50-100	20
TXE60	600x600x137	60	10	20	10-20	5
TXE150	600x600x137	150	20	50	20-50	10
TXE300	600x600x137	300	50	100	50-100	20
TGE150	700x700x165	150	20	50	--	10
TGE300	700x700x165	300	50	100	50-100	20
TGE600	700x700x165	600	100	200	100-200	50

(\*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE