


PB_OLD20181207

"PB" SERIES SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a stainless steel surface having a precise and sturdy structure. Suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. The standard version is provided with approved load cell.


The best solution for advanced industrial applications

TECHNICAL FEATURES

- Functioning with a "single point" 350 Ohm aluminium load cell, approved according to OIML R60 C3 standards (3000 divisions), IP65 protection degree.
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with stainless steel loading surface.
- Up to 15 Vdc power supply.
- 3m shielded cable for connection to the indicator.
- Upon request:
 - 3000e CE-M approval;
 - support column for indicator.

SUPPORT BRACKETS AND COLUMNS

• Example of use with bracket, attached column or floor column.



VERSIONS

Available versions						
		l x w x h	Max	d	M	d HR
	Codice	(mm)	(kg)	(g)	(g)*	(g)*
	<u>PBT6</u>	300x300x130	6	1	2	0,5
	<u>PBT15</u>	300x300x130	15	2	5	1
	<u>PBT30</u>	300x300x130	30	5	10	2
	<u>PBO30</u>	400x400x140	30	5	10	2
	<u>PBQ60</u>	400x400x140	60	10	20	5
	<u>PBO150</u>	400x400x140	150	20	50	10
	<u>PBX60</u>	600x600x165	60	10	20	5
	<u>PBX150</u>	600x600x165	150	20	50	10
	<u>PBX300</u>	600x600x165	300	50	100	20
	<u>PBE300</u>	800x800x170	300	50	100	20



<u>PBE600</u>

200

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 SALES AND TECHNICAL ASSISTANCE SERVICE

.....

All the specifications and images can be subject to variations and upgrades without prior notice.