



S

"S" installation and testing services for options and accessories at time of order







Dini Argeo can offer an installation and testing service at time of order for the devices purchased, in order to simplify and speed up the system installation at the end customer. At the time of ordering the system, each code accompanied by its service will be installed and tested by our technical staff.

**The best solution  
for advanced industrial  
applications**

## How to identify the installation service for the desired option

- Each option and accessory, that can be installed and tested at time of order, is marked by a code (SX), which precedes the description:

Communication Interfaces			
	Code	Description	Price €
	<u>OBRF-2</u>	(S2) External 868 MHz radio module, cable l=3m (cable gland not included) ABS IP65 protecting box, 3 m cable, power supply from weight indicator. Max. distance, in appropriate environmental and installation conditions: 70m indoors, 150m outdoors. 50 configurable channels.	200,00
	<u>OBRFUSB-2</u>	(S2) 868 MHz external radio frequency module, USB cable l=1m. Max. functioning distance, in appropriate environmental and installation conditions: 70m indoors, 150m outdoors. 50 configurable channels. (OBRF232 must be combined with another radio module).	367,00
	<u>RFITR-1</u>	(S2) Built-in 868 MHz radiofrequency module Max. functioning distance in appropriate environmental and installation conditions: 70m indoors, 150m outdoors. Up to 50 configurable channels.	265,00
	<u>WIFITD</u>	(S2) Built-in Wi-Fi interface for wireless connection (through access point)	

At the time of order, each option accompanied by its service will be install and test during the system production, otherwise it will be delivered in its own packaging, not installed.

## S1 installation service

- S1 installation service includes:
  - Installation of the option with the addition of any mechanical accessories mountings (if not supplied with the option)
  - Configuration (if needed)
  - And Testing

## S2 installation service

- For printers/labellers, the S2 service includes:
  - Print testing of the standard formats

NOTE: To use the testing service at time of order, one must order the printer together with the connection cable.
- For communication interfaces, the S2 service includes:
  - Installation of the option with the addition of any mechanical accessories mountings (if not supplied with the option)
  - Configuration
  - Communication test

## S3 and S6 special installation services

- If the option has the installation service, this service includes:
  - Installation of the option with the addition of any mechanical accessories mountings (if not supplied with the option)
  - Configuration (if needed)
  - Testing
  - Final verification of the ATEX protection



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE