

AFW_OLD20210504

AFW SERIES MULTIFUNCTION WEIGHT INDICATOR



Very simple to use multifunction weight indicator in ABS. Connectable to load cell platforms; pieces counting, % weight, weight check, totalisation/formulation functions. Internal resolution of 600.000 points. CE-M approval for legal for trade use.

The best solution for advanced industrial applications

TECHNICAL FEATURES

- Backlit LCD display with 6 digits 24mm high.
- Membrane waterproof keypad with 7 keys and acoustic feedback.
- ABS case, fitted with support bracket with adjustable inclination, for column mounting.
- Connection with up to 4 load cells (350 Ohm input resistance).
- Max. 3000e in CE-M approved version for legal for trade use.
- Calibration and Set-up parameters from keypad, with completely programmable capacity and division.
- Rechargeable built-in battery (up to 70h battery life) and 230 Vac power adapter.
- RS232/c port for connection to PC or printer.
- Packaging: 340x260x230mm size approximate weight of 2,5kg.
- Upon request: connection to a platform and configuration/calibration at our premises.

FUNCTIONS

- Piece counting;
- weight check, with 2 thresholds and acoustic alarm;
- weight totalisation, in loading or in unloading;
- unit conversion: kg, g, lb, oz;
- weighing filter selection;
- setting range of auto-zero at the switch-on;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration;
- backlight enabling;
- low battery warning.





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 SALES AND TECHNICAL ASSISTANCE SERVICE

.....

All the specifications and images can be subject to variations and upgrades without prior notice.