

TPWN_OLD20180405

TPWN "NETWORK" SERIES PALLET TRUCK WITH INTEGRATED DIGITAL SCALE



Pallet truck scale supplied with new DFW series integrated weighing indicator. The new program allows the user to easily access to main software functions and weighing operations. The large backlit display allows an optimal reading of the weight in any lighting condition. Power supply through 4 AA batteries.

**The best solution
for advanced industrial
applications**

PALLET TRUCK SCALE: MAIN FEATURES

- Maximum lifting capacity: 2000 kg.
- Accuracy: +/- 0.1% of the maximum capacity.
- Fork dimensions: 1150 x 550 x 87 mm.
- Weighs about 110 kg.
- Structure in extra thick steel and oven-fire painted mechanics.
- Steering wheels and double loading rollers with a polyurethane coating.
- 4 aluminium shear-beam load cells IP67.
- Weight indicator with 6 25mm digits on a backlit LCD display, which are clearly visible even in poor lighting conditions, and waterproof keyboard, with 5 functional keys.
- Configuration, calibration and diagnostics from keyboard or PC with DINITOOLS.
- Power supply through 4 AA batteries, which may also be rechargeable.
- Operating time: approximately 40 hours with continuous use, or one month with the typical non continuous use, thanks to the auto switch-off function.
- Programmable auto switch-off, for power saving function.
- Battery level indication.

I/O SECTION

- Fitted with Infra-red port (for optional remote control integrated in the handle-bar).

MAIN FUNCTIONS

- The user can select the operating modes directly using the dedicated key*:
 - High resolution display x 10
 - Net/Gross
 - Lb to Kg converter
 - Free conversion factor (for meter and litre counters etc.)
 - Weight totalizer
 - Formulizer
 - +/- controller with quick target and threshold input
 - Percentage weighing
 - Percentage batching with programmable target
 - Piece counter
 - Hold
 - Alibi memory (optional)
- Optional functions:
 - PEAK, detection of weight peaks (code DFWPK)
 - Newton to Kg converter (code DFWPK)
- Access to the user menu is gained using the dedicated key* to adjust the weighing filter, date and time, setpoint and tare weight, which the user can access by entering a programmable access password.

** These quick access keys to the menus can be blocked by configuring a dedicated password.*

DETAIL 1



VERSIONS

Available versions

Codice	Max (kg)	d (kg)
TPWN	2000	1

Please take note that the column and the handle-bar require assembly.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE