

WBKPTA

"WBKPTA - C3": ANALOGUE KIT FOR WEIGHBRIDGES



Kit for weighbridges made up of 8 RCPT series analogue load cells, complete with oscillating resting joints and 10 input junction box.

Special alloy steel body with **stainless steel** external casing; manufactured with laser solderings.

TOTAL CAPACITY: 240t (8 x 30t cells)

OIML R60, C3 precision class.

Load cell height **200mm** (including cups height).

The best solution
for advanced industrial
applications

LOAD CELL FEATURES

- C3 precision classes.
- Special alloy steel body with stainless steel external casing; manufactured with laser solderings.
- Optimised for parallel connection.
- IP68 protection rating.
- Capacity 30.000 kg.
- Fitted with self-aligned articulated joints, self-centering plates and protection washer.
- Shielded 20m connection cable.
- Test certificate available upon request.

To view the full technical data sheet click [HERE](#).

JUNCTION BOX FEATURES

- JB10Q 10 input junction box with glass reinforced polyester case.
- IP66 protection rating or IP68 protection with GELBOX option.
- Surge Arresters against electric discharges and disturbances.
- Removable terminals.

To view the full technical data sheet click [HERE](#).

DETAIL 1



DETAIL 2





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE