

## ASGMP

### "ASGMP" RETAIL SCALES



Retail scales with double precision interval, column and built-in thermal printer, for commercial use. Thanks to the long-lasting internal battery and to the 3 operators management, this scale is particularly indicated for selling in outdoor markets, due to the possibility of serving more customers simultaneously. The program also offers the imports totalisation function and a PLU memory with keyboard shortcut.

**The best solution  
for advanced industrial  
applications**

## RETAIL SCALES TECHNICAL FEATURES

- These retail scales are fitted with 3 backlit LCD displays on column on the operator side, and 3 LCD displays on column on the customer side, with 20mm-high digits, for simultaneous indication of weight, price and amount.
- Mechanical waterproof alphanumeric and functional keypad, with 50 keys and acoustic feedback.
- Stainless steel plate, 240 x 370 mm size.
- Level and adjustable feet.
- Built-in rechargeable battery (about 70h life) and 230 Vac power adapter (EU plug).
- Fitted with built-in thermal printer: 70mm/sec print speed, 8 dot/mm resolution, 384 dots per line, 58mm paper width, 50mm diameter roll.
- Packaging: dimensions 410 x 375 x 180mm - weight 10kg.
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate;
  - Dual interval CE-M approval (with Periodical Verification included, 3 year validity).

## FUNCTIONS OF RETAIL SCALES

- The retail scales ASGMP series have the following weight-price-amount functions:
  - change of unit price: €/kg - €/100g - €/100g,
  - entry of unit price,
  - amount totalisation,
  - change calculation,
  - 127 PLU memories (28 from direct key), each with 12 character alphanumeric description and unit price;
- management up to 3 operators;
- zeroing;
- zero tracking;
- semi-automatic tare;
- auto switch-off;
- backlight command;
- low battery warning.

## USER MANUAL

- User Manual available in: IT, EN

DETAIL 1



Digital scales fitted with customer's side display.

VERSIONS

Available versions

Codice	Max (kg)	d (g)	<div>M</div> 2R (g) *
ASGMP30	15/30	5/10	5/10

(\*) CE-M divisions are obtainable only with the relative options.



**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE