

## JB1I

"JB1I": JUNCTION BOX FOR 4 POLE LOAD CELLS, IN IP68 STAINLESS STEEL



Stainless steel junction box with IP68 protection from water and dust, equipped with electronic board to join 2 load cell cable sections. The 8 screw terminal boards facilitate the cable connection. The stainless steel body ensures solidity and durability.

**The best solution  
for advanced industrial  
applications**

## TECHNICAL FEATURES

- Stainless steel case.
- Protection degree: IP68.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- 1 input and 1 outlet of 4-wire load cell on screw connectors
- Length: 85.0mm
- Internal diameter: 13.9mm
- External diameter: 18mm
- The cable gland tightens 4 to 8mm of cable.

## DETAIL 1





**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE