


PB

## PB SERIES SINGLE-CELL PLATFORMS



---

**Painted** Steel. Load cell in **Aluminium**. **IP65** protection rating.

---

---

Precision class **C3**.

---

Small and medium capacity electronic platforms with a stainless steel surface having a precise and sturdy structure.

- Up to 15000d resolution.
- OIML R60 C3.
- IP65 protection.


The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Optional calibration service from 6000d to 15000d (internal use); 3000e approved OIML R60 C3.
- Functioning with a “single point” 350 Ohm aluminium load cell, IP65 protection degree.
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with stainless steel loading surface.
- Up to 15 Vdc power supply.
- 3m shielded cable for connection to the indicator.
- Upon request:
  - 3000e CE-M approval;
  - support column for indicator.

## SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



## VERSIONS

Available versions					
Codice	l x w x h (mm)	Max (kg)	d (g)	<b>M</b> (g)*	d HR (g)*
PBT6	300x300x130	6	1	2	0,5
PBT15	300x300x130	15	2	5	1
PBT30	300x300x130	30	5	10	2
PBK6	300x400x140	6	1	2	0,5
PBK15	300x400x140	15	2	5	1
PBK30	300x400x140	30	5	10	2
PBQ30	400x400x140	30	5	10	2
PBQ60	400x400x140	60	10	20	5
PBQ150	400x400x140	150	20	50	10
PBM30	400x500x140	30	5	10	2
PBM60	400x500x140	60	10	20	5
PBM150	400x500x140	150	20	50	10
PBX60	600x600x165	60	10	20	5
PBX150	600x600x165	150	20	50	10
PBX300	600x600x165	300	50	100	20
PBY60	600x800x170	60	10	20	5
PBY150	600x800x170	150	20	50	10
PBY300	600x800x170	300	50	100	20
PBE300	800x800x170	300	50	100	20
PBE600	800x800x170	600	100	200	50

(\*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



**DINI ARGEO**  
FRANCE sarl  
France

**DINI ARGEO**  
GMBH  
Germany

**DINI ARGEO**  
UK Ltd  
United Kingdom

**DINI ARGEO WEIGHING**  
INSTRUMENTS Ltd  
China

**DINI ARGEO**  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE