

WWSE\_OLD20200110

## WWSE "PROFESSIONAL" WHEEL WEIGHING PADS



Pads designed for creating weighing stations for large vehicles (vans, trucks, tankers, tractor-trailers, etc.); particularly accurate and sturdy, with attention to details.

**The best solution  
for advanced industrial  
applications**

## FEATURES

- Pad dimensions: 700x561mm. Height 55mm. Weight approximately 26kg.
- Loading surface: 700x450mm.
- Fitted with wheels for transporting the pad.
- Sturdy structure, made in special aluminium, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, pad side.
- 10 m cable for connecting pad to indicator, complete of connector.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the pad, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- The WWS pads are patented; the number is 1.342.302.
- Available in legal for trade approved version.
- Available in high resolution version.
- Available upon price estimate in Atex version for 1&21 e 2&22 zones.

## NOTES ON THE CE-M APPROVED VERSIONS

- The pads are for legal for trade use:
  - In the single-pad systems, not used to weigh vehicles.
  - In the wheel weighing systems in which the number of pads is equal to the number of vehicle wheels.
  - In the axle weighing systems composed of one or more multiples of WWS pads, except possible limitations of use for some European States.
- The axle weighing systems with 2 WWS pads and a 3590E "AF09" weight indicator are OIML R134 certified for the dynamic vehicle weighing, according to the legal standards in force in the Country of use.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade pad of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:  
Exemple for a 4 pads system  
Single CE-M Pad: Max=1500kg and e=0,5kg  
CE-M SUM: Max=6000kg and e=2kg

# VERSIONS

## Available versions

Codice	l x w x h (mm)	Max (kg)	d (kg)	<div>M</div> (kg)	d HR (kg)*
<u>WWSE6T-1</u>	700x450x58	6000	2	2	0,2
<u>WWSE10T-1</u>	700x450x58	10000	5	5	0,5
<u>WWSE15T-1</u>	700x450x58	15000 (12500**)	5	5	0,5

(\*) These divisions are obtainable only with the relative options

(\*\*) With ECEM legal for trade approval , Max=12500kg



**DINI ARGEO**  
FRANCE sarl  
France

**DINI ARGEO**  
GMBH  
Germany

**DINI ARGEO**  
UK Ltd  
United Kingdom

**DINI ARGEO WEIGHING**  
INSTRUMENTS Ltd  
China

**DINI ARGEO**  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE