



# 882IS

## 882IS Intrinsically Safe Digital Weight Indicator



The intrinsically safe power supply enables wiring to a single AC conduit line and seal from the safe area. An FM approved, rechargeable battery is also available for isolated power or movable applications. The 882IS utilizes a backlit LCD display to maintain brilliant visibility for user-friendly operation, even in dimly lit areas. Its stainless steel enclosure provides superior protection from the elements.

**The best solution  
for advanced industrial  
applications**

- Find more on [www.ricelake.com](http://www.ricelake.com)

## DETAIL 1





**DINI ARGEO**  
FRANCE sarl  
France

**DINI ARGEO**  
GMBH  
Germany

**DINI ARGEO**  
UK Ltd  
United Kingdom

**DINI ARGEO WEIGHING**  
INSTRUMENTS Ltd  
China

**DINI ARGEO**  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE