

OBRF

"OBRF" 2.4 GHz RADIO FREQUENCY INTERFACE BOX



2.4 GHz Radio frequency interface box, for wireless communication between PC/master device and weight indicator/repeater. Up to 39 channels, connection through USB or RS232 port (depending on the model).

**The best solution
for advanced industrial
applications**

Technical features OBRF2G4-USB module

- For the connection to PC.
- PVC box.
- Box dimensions (l x w x h): 120x80x55mm.
- USB input signal.
- USB/mini USB connecting cable, 1m long.
- Power supply directly from USB port.

Technical features OBRF2G4 module

- For the connection to weight indicator/repeater.
- IP65 ABS box.
- Box dimensions (l x w x h): 120x80x55mm.
- RS232 input signal.
- RS232 connecting cable, 3m long.
- Power supply from weight indicator/repeater.
- Decoding standard cable colors:

<i>Colour</i>	<i>Meaning</i>
YELLOW	TX
PINK	RX
GREY	GND
BROWN	+Vdc (5-12Vdc)

Operating specification

- Operating frequency from 2.4 GHz, up to 39 different channels in order to install various independent systems in the same work area.
- Max. functioning distance in appropriate environmental and installation conditions: up to 45m indoor, and up to 140m outdoor.
- Input signal: RS232 standard.
- Integrated installation inside the scale.
- Does not require particular communication protocols, transmission in transparent manner of any character received in input.

DETAIL 1



OBRF2G4: 2.4 GHz radio module with the RS232 port.



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE