

JB10QIP69K

"JB10QIP69K": EQUALISED JUNCTION BOX WITH 10 INPUTS, IN STAINLESS STEEL WITH IP68 and IP69K PROTECTION



Junction and equalization box in AISI 304 stainless steel with certified IP68 and IP69K protection from water and dust. Suitable for use outdoors, in weighbridges and in environments with high hygiene requirements. This junction box is equipped with Surge Arresters against electric discharges and disturbances.

The fixing bracket allows a solid installation of the box on any kind of surface, even on the wall, leaving the adequate space for cleaning and sanitation.

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- AISI 304 stainless steel structure, specially designed for outdoor use, weighbridges and applications with high hygiene requirements
- IP68 and IP69K certified protection, easy to sanitize with high-pressure and high-temperature water jets
- Connectable with up to 10 load cells
- Surge Arresters for protection against electrical discharges and disturbances
- Bracket for mounting on any surface supplied as standard

Available in ATEX version upon request.

TECHNICAL FEATURES

- AISI 304 stainless steel structure (AISI 316 upon request)
- Protection rating: IP68 and IP69K
- IP69K anti-condensation valve fitted as standard
- 10 metal cable glands PG11 (cable Ø 5-11mm) and 1 cable gland PG9 (cable Ø 4-8mm)
- Maximum input voltage: 24Vdc
- Maximum input current: 700mA
- Maximum input cell signal: 1000mV
- Temperature effect: 50ppm/°C
- 10 cell inputs with removable screw connectors
- Dimensions with cable glands (lxwxh): 343x132x66mm (brackets not included)



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE