



A RICE LAKE WEIGHING SYSTEMS COMPANY

LP542TE

"LP542TE": DIRECT THERMAL / THERMAL TRANSFER LABELLER



Thermal transfer or direct thermal labeller, with standard peeler that can be connected to 3590E, CPWE and DFW series indicators.

Fast label output, high print resolution and compact size make it suitable for printing in any industrial environment.

The best solution for advanced industrial applications

TECHNICAL FEATURES

- PRINTING METHOD: Thermal transfer or direct thermal
- STANDARD RIBBON REWINDER
- SENSORS:
 - Label end
 - Black mark
 - Ribbon end
 - Printer opening
- PRINTING RESOLUTION: 203 dpi (8 dots/mm).
- PRINT SPEED: up to 152.4 mm/sec.
- MAXIMUM PRINT LENGTH: 25400 mm.
- MAXIMUM PRINT WIDTH: 108 mm.
- LABEL LENGTH: From 5 mm up to 25400 mm.
- LABEL WIDTH: From 20 mm up to 112 mm.
- LABEL THICKNESS: From 0.06 mm up to 0.19 mm.
- LABEL ROLL DIMENSIONS: 127 mm OD (5.0" OD).
- FONTS: 8 fixed alphanumeric fonts, 1 true type Font with rotation at 0, 90, 180, and 270 degrees.
- AVAILABLE BAR CODES: Code 128UCC, Code 128 subsets A, B, C, EAN128, Interleaved 2 of 5, Interleaved 2 of 5 with check digit, Code 39, Code 39 with check digit, Code 93, EAN13, EAN8, UPCA, UPCE, EAN and UPC 2 (5) digits add-on, Codabar, Postnet, MSI, MSI with check digit, PLESSEY, China post, ITF14, Code 11, TELEPEN, TELEPENN, PLANET, Code49, Deutsche Post Identcode, Deutsche Post Leitcode, LOGMARS
- AVAILABLE 2D BAR CODES: GS1 DataBar, GS1 DataMatrix, Maxicode, AZTEC, PDF417, QR Code, Micro PDF 417
- MEMORY: 128 MB Flash memory, 64 MB SDRAM
- INTERFACES: USB 2.0, Internal Ethernet, 10/100 Mbps, RS232
- STANDARD SOFTWARE PROGRAMMING, for the creation of customised labels with logos, images, weight data, and bar codes.
- DIMENSIONS: 204 x 164 x 280 mm
- WEIGHT: 2.5 kg
- POWER SUPPLY: External power supply Input: 100/240 VAC, Output: 24V 2.5 A DC
- ENVIRONMENT CONDITION: Temperature from 5 to 40°C, Max. humidity 85% non-condensing.

DETAIL 1



DETAIL 2





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE