

OBCLT

OPTION BOX WITH OBCLT CONTROL LIGHT



Option Box with 3-way control light with programmable acoustic signal, bar graph controller, attachable to DFW and 3590 series' indicators. The control light allows to independently manage the 3 LUMINOUS AREAS and the BUZZER, using the TTL logic.

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Luminous indication with 3 groups of 15 Leds each
- Acoustic indication through buzzer
- Power supply: from 5,5 to 7,5 Vdc
- Absorbed Maximum current: 320 mA (all areas turned on + buzzer)
Absorbed Typical current: 140 mA (only one area turned on)

N.B. ACCESSORY WHICH MAY BE ORDERED ONLY COMBINED WITH A SUITABLE WEIGHT INDICATOR



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE