DINI ARGEO

A RICE LAKE WEIGHING SYSTEMS COMPANY

DG30K

DG30K SERIES DIGITAL INDICATORS



Indicator / weight transmitter suitable for weighing, simple dosing and level checks of tanks, silos, hoppers, etc. Connectable with up to 6 load cells. Various types of outputs are available allowing for the maximum flexibility in automation.

The best solution for advanced industrial applications

MAIN FEATURES

- Easy to use 6-key waterproof keypad.
- LED Display with 6 bright 20mm digits.
- Up to 30,000 displayable divisions (for internal factory use).
- Anodised aluminium case according to DIN standards, 72x144x145 mm, 140x67 mm perforation for panel mounting.
- Digital calibration and set-up configurable from keypad.
- 230 Vac power supply (or 110 Vac)
- Connectable with up to 6 standard load cells with 350 Ohm input resistance.

STANDARD I/O SECTION with plug-in connectors made up of:

- Two 230Vac 1A (NO or NC) relay outputs configurable as programmable weight thresholds.
- 1 input for remote tare command.

KEYPAD FUNCTIONS:

- Zeroing, Automatic tare, Print command, programming 2 weight thresholds

www.diniargeo.com



DINI ARGEO FRANCE sarl	DINI ARGEO GMBH	DINI ARGEO UK Ltd	DINI ARGEO WEIGHING INSTRUMENTS Ltd	DINI ARGEO OCEANIA
France	Germany	United Kingdom	China	Australia

DINI ARGEO
A RICE LAKE WEIGHING SYSTEMS COMPANY

COMPANY HEADQUARTERS
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE
Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.