

ILWI

ILWI SERIES MULTIFUNCTION WEIGHT INDICATOR



Multifunction weight indicator with stainless steel case and easily readable digits, connectable to load cell platforms. Usable in various weighing applications: weight checking with 2 thresholds, counting, and totalisation.

TECHNICAL FEATURES

- Large LCD backlit display with 6 digits 52mm high.
- Membrane waterproof keypad with 7 keys and acoustic feedback.
- IP65 stainless steel case fitted with support bracket with adjustable inclination, for column mounting.
- Connection with up to 4 load cells with input resistance of 350 Ohm.
- Up to 30.000 displayable divisions for internal factory use.
- Calibration and Set-Up parameters from the keypad.
- Rechargeable built-in battery (up to 70 hours battery life) and 230 Vac power adapter (EU plug).
- Packaging: dimensions: 325x195x230mm approximate weight of 2,6kg.

FUNCTIONS

- counting;
- weight check, with 2 thresholds and acoustic alarm;
- weight totalisation;
- unit of measure conversion: kg, lb, oz;
- weighing filter selection;
- zeroing;
- · zero tracking;
- semi-automatic tare;
- digital calibration;
- auto switch-off;
- backlight command;
- low battery warning.





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany

DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784

-	
	SALES AND TECHNICAL ASSISTANCE SERVICE