

TSCR

"TSCR" TOUCH SCREEN PC



Touch screen PC 15" monitor, with adjustable inclination and compact size. Ideal in applications which require a simple, immediate and easily visible operator interface, with dedicated keys and easy recall of the main functions. The IP65 protection from dust and external agents allows to use it also in industrial applications.

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Adjustable 15" monitor with a very bright, resistive touch screen.
- 1024 x 768 maximum resolution.
- Black die-casting aluminium case.
- Maximum operating temperature: 1 ÷ 40°C.
- Dimensions: 360 x 290 x 76,5 mm (LxHxP, without stand).
- Weight: 7,2 kg.
- Power supply with external 110/240 Vac power adapter.

I/O SECTION

- 3 RS232 configurable ports for connection to printer/labeller.
- 4 USB 2.0 ports.
- 1 LAN port which allow to connect to any display or other necessary peripheral units for managing the application.
- 1 Mini DIN port for connection to extended PC keyboard.

WEIGHBRIDGE SOFTWARE FEATURES

- Combinable to the DFW and DGT series' weight indicators.
- Remote management of the weighing system by the operator or with Self Service mode.
- Databases for storage the customers, vehicles and materials data, manage of the totals and programmable printouts.

For more information, see the [technical data sheet](#).



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE