DINI ARGEO

A RICE LAKE WEIGHING SYSTEMS COMPANY

JBQI

"JBQI": EQUALISED JUNCTION BOX WITH 4/6 INPUTS, IN IP65 STAINLESS STEEL



Stainless steel junction box with IP65 protection from water and dust, and fitted with electronic board for junction and equalisation of 4 or 6 load cells. Terminal board with screw for easing the connection of the load cells and the signal adjustment trimmer, for an accurate and reliable equalisation.

The best solution for advanced industrial applications

TECHNICAL FEATURES

- Stainless steel case.
- Protection degree: IP65.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- Maximum input load cell signal: 1000mV.
- Temperature effect: 50ppm/°C.
- Protection diodes against surcharges or electrostatic discharges.
- 4 cell inputs on screw connector or on soldering squares (for JB4QI model).
- 6 cell inputs on screw connector or on soldering squares (for JB6QI model).
- Dimensions: 155x158x45mm (lxwxh) for JB4QI
- Dimensions: 190x132x50mm (lxwxh) for JB6QI

DETAIL 1



JB6QI: Junction and equalisation box, in IP65 stainless steel.

www.diniargeo.com



DINI ARGEO FRANCE sarl	DINI ARGEO GMBH	DINI ARGEO UK Ltd	DINI ARGEO WEIGHING INSTRUMENTS Ltd	DINI ARGEO OCEANIA
France	Germany	United Kingdom	China	Australia

DINI ARGEO
A RICE LAKE WEIGHING SYSTEMS COMPANY

COMPANY HEADQUARTERS
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE
Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.