

## GAM

### GAM SERIES STAINLESS STEEL TECHNICAL PRECISION SCALE



IP65 high precision scales, suitable for laboratory and industrial use. The completely stainless steel structure makes this scale suitable for the environments with strict hygiene requirements.

**DIVISION (g):** from 0.01 to 1. **CAPACITY (g):** from 320 to 15000.

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- High contrast backlit display.
- Splashproof membrane keypad.
- Splashproof construction, upper structure completely in stainless steel.
- Overall IP65 protection.
- Stainless steel plate, size:
  - GAM320 and GAM820 models Ø 140mm
  - GAM2200, GAM3200, GAM6200, GAM8200, GAM15000 models 190x190mm.
- Weight detection through tuning fork system.
- Level and adjustable foot assembly.
- Power supply: standard fitted with 230 Vac power adapter or optional kit for power supply through 4 AA batteries.
- Operating temperature +0°C...+40°C, non-condensing relative humidity 80%.
- RS232/c port for connection to PC, 3590E series indicator or printer.
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate.

## STANDARD FUNCTIONS

- totalisation;
- weight checking;
- counting;
- % weight;
- suspended weighing (for gravimetric measurements);
- animals weighing;
- zeroing;
- semi-automatic tare;
- digital calibration.

*User Manual available in: IT, EN, FR*

## ADVANCED APPLICATION WITH 3590E TOUCH SCREEN

- This configuration allows you to use the GAM scale as a digital platform for 3590E TOUCH SCREEN indicators.
- To create a weighing station with 3590E TOUCH SCREEN, you need to order together with the scale, the indicator, the RSCBSHG cable, and the S1 advanced configuration service.

ADVANCED FUNCTIONS via serial port connection:

- Statistical sampling of prepackaged goods
- Microdosing
- Multiscale counting
- Tolerance control
- Wizard formulation
- Receipts, labels printing, storage and data transmission

DETAIL 1



DETAIL 2










DETAIL 3



## VERSIONS

### Available versions

Codice		Classe	Piatto Max (mm)	Max (g)	d (g)	<b>M</b> (g)*	Linearità (g) +/-	Ripetibilità (g)
GAM320		II	Ø 140 mm	320	0,01	0,01	0,01	0,01
GAM820		II	Ø 140 mm	820	0,01	0,01	0,01	0,01
GAM2200		II	190x190 mm	2200	0,1	0,1	0,1	0,1
GAM3200		II	190x190 mm	3200	0,1	0,1	0,1	0,1
GAM6200		II	190x190 mm	6200	0,1	0,1	0,1	0,1
GAM8200		II	190x190 mm	8200	0,1	0,1	0,1	0,1
GAM15000		II	190x190 mm	15000	1	1	1	1

(\*) CE-M divisions are obtainable only with the relative options.



**DINI ARGEO**  
FRANCE sarl  
France

**DINI ARGEO**  
GMBH  
Germany

**DINI ARGEO**  
UK Ltd  
United Kingdom

**DINI ARGEO WEIGHING**  
INSTRUMENTS Ltd  
China

**DINI ARGEO**  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE