


FLP-1

"FLP" SERIES LOW PROFILE PLATFORMS




Low profile platforms, with 500 mm ramps, painted steel structure and chequered load surface. Ideal for weighing trolleys and pallet trucks thanks to the on/off ramps on both sides as well as the sideboards. The standard version is provided with approved load cells.

**The best solution
for advanced industrial
applications**

TECHNICAL FEATURES


- Fitted with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree. Chequered steel structure and load surface, oven-fire painted, RAL 5007 blue.
- Adjustable, anti-shock jointed feet and level.
- Power supply from 5 to 15 Vdc.
- Hermetic junction box, IP67 wiring with shielded 5m long cable complete with female connector.
- Fitted with sideboards and double on/off ramps.
- Upon request:
 - platform calibration service with weight indicator;
 - 3000e CE-M approval, to be combined always to the calibration service;
 - support column for indicator.

CONNECTOR PINOUT



Pin	Signal	Color
1	EXC+	Red
2	EXC-	Black
3	SENSE-	Blue
4	SENSE+	Yellow
5	SIG-	White
6	SIG+	Green
7	SHIELD	Yellow


DETAIL 1



Installation example, with DFWL indicator and CSP38 column

VERSIONS

Available versions

Codice	l x w x h (mm)	N° celle	Max (kg)	d (g)	 (g)*
FLPC-1	800x800x48	4x250kg	600	200	200
FLPA-1	1250x1000x48	4x2000kg	1500	500	500
FLPB-1	1500x1250x48	4x2000kg	2000	1000	1000

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE