

## GEX\_XL

"GEX-FZ-1G": High precision floor balance, for ATEX zone 0



High precision floor balance for hazardous areas.  
Protection rating II 1G Ex ia II B T4 Ga for gas.  
CE-M approved (OIML R-76 / EN 45501).

---

**CAPACITY (kg):** 300.

---

The best solution  
for advanced industrial  
applications

## MAIN FEATURES

- 27-key numeric and functional waterproof keyboard.
- 9-digit 25 mm LCD display.
- IP65 stainless steel structure.
- Dimensions 800 x 600 x 142 mm.
- Weighing sensor with tuning fork technology.
- Stainless steel plate, dimensions 800 x 600 mm;
- 100 – 240VAC power supply unit in safe area, with RS232 serial port.
- 5 m cable between power supply and weight indicator.
- 5 m cable between platform and weight indicator.
- 2.5 m power cable.
- Operating temperature +5°C...+40°C (display and platform, 0°C...+40°C (power supply), non-condensing relative humidity 85%.
- Version approved for CE-M II legal-for-trade use.

## AVAILABLE FUNCTIONS

- Zeroing;
- Semiautomatic tare;
- Preset tare;
- Tolerance check;
- Totalization in loading and unloading.
- Up to 100 storable tares;
- Bar graph display in relation to flow rate;
- 6 configurable serial communication protocols, sending the string continuously, at stability, on demand or at the press of a key;
- 5 selectable weighing filters;
- Zero tracking.

## WEIGHING MODES

- Weighing in grams;
- Percentage weighing for formulation and recipe dosing;
- Customized coefficient for liquid weighing and grammage.

## MAIN CERTIFICATIONS

- II 1G Ex ia II B T4 Ga
- OIML R76

*Operation manual and EU declaration of ATEX conformity available in English.*

*Safety instructions available in Italian, English, French, German and Spanish languages.*

•

DETAIL 1



DETAIL 2



VERSIONS

Available versions							
Codice	Classe	Piatto Max (mm)	Max (kg)	d (g)	<div>M</div> (g)*	Linearità (g) +/-	Ripetibilità (g)
GEX-FZ300K-1G	II	800 x 600	300	1	10	5	8



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE