

RFI TR

"RF2G4": 2.4 GHz RADIO FREQUENCY INTERFACE



The best solution
for advanced industrial
applications

TECHNICAL FEATURES:

- Operating frequency from 2.4 GHz, up to 39 different channels in order to install various independent systems in the same work area.
- Max. functioning distance in appropriate environmental and installation conditions: up to 45m indoor, and up to 140m outdoor.
- Integrated installation inside the scale.
- Does not require particular communication protocols, transmission in transparent manner of any character received in input.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE